



- 1.0 GENERAL NOTES
- 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X.X]
- 1.2 FEATURES CRITICAL TO QUALITY ARE INDICATED IN ROUNDED BOX (X.X)
- 2.0 DESIGN NOTES
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
- 3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD.
- 4.0 TEST
- 5.0 PACKAGING
- 5.1 PACKAGING MUST BE AGREED TO IN WRITING BY ANDREW PRIOR TO MASS-PRODUCTION APPROVAL.
- 5.2 PARTS ARE TO BE PACKAGING IN A MANNER TO PREVENT DAMAGE DURING SHIPMENT & STORAGE.
- 5.3 PACKAGING TO ADHERE TO ALL ANDREW, LOCAL & FOREIGN (WHERE APPLICABLE) SHIPPING REQUIREMENTS.
- 5.4 PACKAGING & PARTS TO BE FREE OF ALL CONTAMINANTS INCLUDING PAPER FROM BOX, DIRT, DUST, OILS, MOLD RELEASE, DETERGENT AND ALL OTHER FOREIGN MATERIALS.



ASSEMBLY TOP VIEW















INSTALLATION ASSEMBLY

COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	WEIGHT
1	PGCS-1000	CLAMP, FRONT-REAR, POLYMER 4CP	2	0.33 LBS
2	PGCS-7000	PANEL, POLYMER, 8CP	2	0.47 LBS
3	9615-15	BOLT, CARRIAGE, 3/8-16, 3, STL GALV	2	0.12 LBS
4	GWF-03	3/8" FLAT WASHER	2	0.01 LBS
5	GWL-03	3/8" GALV LOCK WASHER	2	0.01 LBS
6	GN-03	3/8" GALV HEX NUT	2	0.02 LBS

DENSITY		lbs/in³
MASS	1.69	lbs
VOLUME	40.43	in³
SURFACE AREA	670.76	in²
HEIGHT	4.25"	
LENGTH	19.25"	
WIDTH	6.25"	

Confidential

<div>ANDREW® an Amphenol company</div>																																												
TOLERANCES							SAP MATERIAL MASTER																																					
1 PLACE .X[X] ± 0.2[6.3]			3 PLACE .XXX[X] ± 0.060[1.5]				PGP-CS12																																					
2 PLACE .XX[X] ± 0.12[3.0]			ANGLES ± 2°																																									
FINISH							MATERIAL																																					
<div>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994</div> <table><tr><td></td><td>NAME</td><td>DATE</td><td colspan="4" rowspan="3">PG PREMIUM,CBL-SUPPORT,12-HOLE</td></tr><tr><td>CE</td><td>JL1183</td><td>19DEC22</td></tr><tr><td>RW</td><td>JL1183</td><td>06/11/2025</td></tr><tr><td></td><td></td><td></td><td colspan="4" rowspan="3">SCALE 1:5 DOCUMENT NO. PGP-CS12</td></tr><tr><td>AD</td><td>JX1030</td><td>06/11/2025</td></tr><tr><td>RE</td><td>JL1183</td><td>06/11/2025</td></tr><tr><td colspan="3">ECN 50103287AMO</td><td colspan="4"></td></tr></table>													NAME	DATE	PG PREMIUM,CBL-SUPPORT,12-HOLE				CE	JL1183	19DEC22	RW	JL1183	06/11/2025				SCALE 1:5 DOCUMENT NO. PGP-CS12				AD	JX1030	06/11/2025	RE	JL1183	06/11/2025	ECN 50103287AMO						
													NAME	DATE					PG PREMIUM,CBL-SUPPORT,12-HOLE																									
												CE	JL1183	19DEC22																														
												RW	JL1183	06/11/2025																														
															SCALE 1:5 DOCUMENT NO. PGP-CS12																													
												AD	JX1030	06/11/2025																														
RE	JL1183	06/11/2025																																										
ECN 50103287AMO																																												
SIZE		Auth Group	INSL	MODEL			DRAWING			SHEET 1 OF 1																																		
C		 		VERSION	STATUS	REVISION	VERSION	STATUS	REVISION																																			
				04	RE	E	05	RE	F																																			