

TTS3-34



Three-way Stand-off Adapter Kit for 3–4 in round members, includes UAAI insert

Product Classification

| | |
|---------------|------------------------------|
| Product Type | Stand-off mount |
| Product Brand | HELIAX® |
| Ordering Note | ANDREW® non-standard product |

General Specifications

| | |
|--------------|------------------------------------|
| Adapter Type | Stand-off adapter |
| Mounting | 3/4 in through hole Round member |

Dimensions

| | |
|--------------------|---------------------|
| Material Thickness | 2.591 mm 0.102 in |
|--------------------|---------------------|

Material Specifications

| | |
|---------------|-----------------|
| Material Type | Stainless steel |
|---------------|-----------------|

Mechanical Specifications

| | |
|-----------------|------------------------------|
| Maximum Loading | Double stack, 1-5/8 in cable |
|-----------------|------------------------------|

Packaging and Weights

| | |
|--------------------|--------------------|
| Height, packed | 12 cm 4.724 in |
| Width, packed | 11 cm 4.331 in |
| Length, packed | 1 cm 0.394 in |
| Packaging quantity | 10 |
| Weight, gross | 0.58 kg 1.279 lb |

Regulatory Compliance/Certifications

| Agency | Classification |
|------------|-----------------------------------|
| CHINA-ROHS | Below maximum concentration value |

TTS3-34

| | |
|---------------|--|
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |
| REACH-SVHC | Compliant as per SVHC revision on www.andrew.com/ProductCompliance |
| ROHS | Compliant |
| UK-ROHS | Compliant |



Included Products

| | | |
|---------|---|--|
| 31670-3 | - | Round Member Adapter for 3–4 in round members |
| SA-38 | - | Three-Way Snap-in Stand-off Adapter has two slots for round member attachment and 3/8" holes for angle adapter integration. It includes three 3/4" holes for Snap-in hangers |
| UAAI | - | Universal Angle Adapter Insert |



Round Member Adapter for 3–4 in round members

Product Classification

| | |
|---------------|-----------------------------------|
| Product Type | Banding clamp |
| Product Brand | HELIAX® |
| Ordering Note | ANDREW® standard product (Global) |

General Specifications

| | |
|--------------|----------------------|
| Adapter Type | Round member adapter |
|--------------|----------------------|

Dimensions

| | |
|------------------------------|---------------------|
| Compatible Diameter, maximum | 101.6 mm 4 in |
| Compatible Diameter, minimum | 76.2 mm 3 in |
| Material Thickness | 0.711 mm 0.028 in |

Material Specifications

| | |
|---------------|-----------------|
| Material Type | Stainless steel |
|---------------|-----------------|

Mechanical Specifications

| | |
|------------------------------|------------------------------|
| Installation Torque, maximum | 6.6 ft lb 8.948 N-m |
| Installation Torque, minimum | 4.1 ft lb 5.559 N-m |
| Maximum Loading | Triple stack, 1-5/8 in cable |

Packaging and Weights


| | |
|--------------------|--------------------|
| Height, packed | 14.2 cm 5.591 in |
| Width, packed | 14.2 cm 5.591 in |
| Length, packed | 7.9 cm 3.11 in |
| Packaging quantity | 10 |
| Weight, gross | 0.31 kg 0.683 lb |

Regulatory Compliance/Certifications

| Agency | Classification |
|---------------|--|
| CHINA-ROHS | Below maximum concentration value |
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |
| REACH-SVHC | Compliant as per SVHC revision on www.andrew.com/ProductCompliance |
| ROHS | Compliant |
| UK-ROHS | Compliant |



SA-38



Three-Way Snap-in Stand-off Adapter has two slots for round member attachment and 3/8" holes for angle adapter integration. It includes three 3/4" holes for Snap-in hangers

Product Classification

| | |
|---------------|-----------------------------------|
| Product Type | Stand-off mount |
| Product Brand | HELIAX® |
| Ordering Note | ANDREW® standard product (Global) |

General Specifications

| | |
|--------------|--|
| Adapter Type | Stand-off adapter |
| Mounting | 3/4 in through hole 3/8 in through hole Round member |

Dimensions

| | |
|--------------------|---------------------|
| Height | 2.54 mm 0.1 in |
| Outside Width | 41.402 mm 1.63 in |
| Outside Length | 85.852 mm 3.38 in |
| Material Thickness | 2.591 mm 0.102 in |

Material Specifications

| | |
|---------------|-----------------|
| Material Type | Stainless steel |
|---------------|-----------------|

Mechanical Specifications

| | |
|-----------------|------------------------------|
| Maximum Loading | Double stack, 1-5/8 in cable |
|-----------------|------------------------------|

Packaging and Weights

| | |
|--------------------|------------------|
| Height, packed | 12 cm 4.724 in |
| Width, packed | 11 cm 4.331 in |
| Length, packed | 1 cm 0.394 in |
| Packaging quantity | 10 |

Weight, gross 0.58 kg | 1.279 lb

Regulatory Compliance/Certifications

| Agency | Classification |
|---------------|--|
| CHINA-ROHS | Below maximum concentration value |
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |
| REACH-SVHC | Compliant as per SVHC revision on www.andrew.com/ProductCompliance |
| ROHS | Compliant |
| UK-ROHS | Compliant |





Universal Angle Adapter Insert

Product Classification

| | |
|---------------|------------------------------|
| Product Type | Insert |
| Product Brand | HELIAX® |
| Ordering Note | ANDREW® non-standard product |

General Specifications

| | |
|--------------|--------------------|
| Adapter Type | Adapter |
| Mounting | 3/8 in tapped hole |

Dimensions

| | |
|--------------------|------------------|
| Outside Width | 12.7 mm 0.5 in |
| Outside Length | 25.4 mm 1 in |
| Material Thickness | 12.7 mm 0.5 in |

Material Specifications

| | |
|---------------|-----------------|
| Material Type | Stainless steel |
|---------------|-----------------|

Mechanical Specifications

| | |
|-----------------|------------------------------|
| Maximum Loading | Triple stack, 1-5/8 in cable |
|-----------------|------------------------------|

Packaging and Weights

| | |
|--------------------|--------------------|
| Height, packed | 4 cm 1.575 in |
| Width, packed | 5 cm 1.969 in |
| Length, packed | 1 cm 0.394 in |
| Packaging quantity | 10 |
| Weight, gross | 0.13 kg 0.287 lb |

Regulatory Compliance/Certifications

| Agency | Classification |
|---------------|--|
| CHINA-ROHS | Below maximum concentration value |
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |
| REACH-SVHC | Compliant as per SVHC revision on www.andrew.com/ProductCompliance |
| ROHS | Compliant |
| UK-ROHS | Compliant |

